

4401 Xylon Ave N • New Hope MN 55428 • Phone: 763-531-5127 • Fax: 763-531-5136 • newhopemn.gov • newhopeinspections@newhopemn.gov

DRIVEWAY APPLICATION

PROCESS

- Driveway must be <u>3-feet off property lines</u>.
- Driveways that are being altered to within 5-feet of the property line must have property pins located and marked for inspection.
- If any alterations are made to the curb a separate Curb Alteration Application is required. (Refer to handouts attached.

Permit#
Received Application
Received Payment
For Office Use Only

INCLUDE THE FOLLOWING ITEMS:

- ✓ Driveway Application (this sheet) filled out completely.
- ✓ 2 sets of plans showing property lines and setbacks.
- ✓ Payment (see below)

PROPERTY INFORMATION						
Property Address:						
☐ Commercial Property ☐ Residential Property ☐ I am the Contractor ☐ I am the Property Owner						
PROPERTY OWNER INFORMATION	CONTRACTOR INFORMATION					
Property Owner:	Business Name:					
□ New □ Replace Existing □ Alteration □ Other:						
Description of Work:						
Distance from Side Property Line:	Start Date:					
Width at Boulevard:	Estimated Completion Date:					
REQUIRED INSPECTIONS COMPLETED BY CITY STAFF						
☐ Site ☐ Final ☐ Other(s):Conditions of Approval:						
Approved By:	Date					



4401 Xylon Ave N • New Hope MN 55428 • Phone: 763-531-5127 • Fax: 763-531-5136 • newhopemn.gov • newhopeinspections@newhopemn.gov

DRIVEWAY APPLICATION

NOTICE


- 24-hour notice is required for all inspections.
- Driveway site inspection required. Contact New Hope Inspections Department at 763-531-5127 to schedule.
- Before you dig, contact Gopher State One Call at 651-454-0002.
- Driveways that are being altered to within 5-feet of the property line must have property pins located and marked for inspection.
- Driveways and curb cuts/approaches must be at least 3-feet from the side property lines.
- Driveways on corner lots must be at least 40-feet from the intersection of the property lines.
- All parking areas, driveways, and driveway aprons must be constructed and surfaced with concrete, asphalt, paving block, or other forms of concrete in compliance with city construction specifications. All driveways and parking stalls must be surfaced with, at minimum, a 6-inch class 5 base and 2-inch asphalt topping.
- Curb cut accesses may not exceed the following width dimensions measured at the property line:
 - o Residential: 24-feet
 - o Residential single-family with 3-car garage: 28-feet
 - o Commercial/Industrial: 26-feet

FEE SCHEDULE							
Driveway	\$25.00	Fees Due Upon Application	\$25.00				
Signature: Da			ate of Application:				
PAYMENT							
□ Credit C • Cred							
		Name (Print):					



4401 Xylon Ave N • New Hope MN 55428 • Phone: 763-531-5127 • Fax: 763-531-5136 • newhopemn.gov • newhopeinspections@newhopemn.gov


DRIVEWAY APPLICATION





4401 Xylon Ave N • New Hope MN 55428 • Phone: 763-531-5127 • Fax: 763-531-5136 • newhopemn.gov • newhopeinspections@newhopemn.gov

DRIVEWAY APPLICATION





Engineers & Architects St. Paul, Minnesota STANDARD DETAILS
COMMERCIAL DRIVEWAY

NEW HOPE, MINNESOTA

Last Revision: Nov 2004

BRA Plate No.

_

City Plate No.